कार्यालय प्रभारी परिसम्पत्ति वानिकी महाविद्यालय रानीचौरी टिहरी गढ़वाल

पत्रांक - वा०म० / परि० / 1227 / 1.

दिनांक ८५/८४/३८४८

कार्यालय ज्ञाप

कृपया अवगत कराना है कि वानिकी महाविद्यालय, रानीचौरी में हॉर्टिकल्चर मिशन फॉर ईरट एएड हिमालयन स्टेटस (HMNEH) परियोजना के अर्न्तगत परियोजना स्थल पर एक वर्किंग शंड/भण्डार कक्ष बनवाया जाना है। कार्य की अनुभानित लागत रू० 1,85000.00 (रू० एक लाख, पिच्चासी हजार मात्र) हैं।

उक्त कार्य को करवाने हेतु सरकारी विभागों में पंजीकृत ठेकेंदारों / फर्मी से कोटेशन प्राप्त किय आन हो। इच्छुक ठेकेदार/फर्म कोटेशन किसी भी कार्य दिवस में अधोहस्ताक्षरी कार्यालय एव विश्वतिद्यालय की wbsite www.uuhti.ac.in पर कार्य की सूचना प्राप्त कर सकते हैं। प्राप्त सभी कोटेशन दिनाक 21012025 का समिति सदस्यों के सम्मुख खोली जायेंगी।

अत. इच्छुक ठेकेदार/फर्म कार्य हेतु अपने कोटेशन दिनांक 20.01.2025 तक पंजीकृत डाक द्वारा अधोहस्ताक्षरी कार्यालय को भेजना सुनिश्चित करने का कष्ट करे। उक्त समय के बाद प्राप्त कोटेशन पर विवार नहीं किया जायेगा।

नियम एवं शर्ते:-

- 1. प्राप्त कोटेशनों में भवन निर्माण कार्यों के अन्तर्गत पंजीकृत ठेकेदार / फर्म को प्राथमिकता दी जायेगी।
- 2. कोटेशन अपने Printed Letter Head पर देना होगा, जिसमें उनका नाम, पता, फोन नं GST No... PAN No. आदि जानकारी अंकित की जानी अनिवार्य होगी।
- 3. सभी कोटेशन रजिस्टर्ड डाक द्वारा प्राप्त की जायेगी। कोटेशन By hand नहीं ली जायंगी।
- 4 सभी कोटेशन संलग्न प्रारुप में भरकर देने होंगे।

प्रतिलिपि:— 1. निदेशक शोध, वी.च.सिं.ग.उत्तराखण्ड औद्यानिकी एवं वानिकी विश्वविद्यालय, भरसार को सादर सचनार्थ।

2 समिति सदस्यों को सूचनार्थ एवं आवश्यक कार्यवाही हेतु।

3 परियोजना अन्वेषक, वानिकी नर्सरी को सूचनार्थ प्रेषित।

🖊 4. ई0 सौरभ रावत, तकनीकी अधिकारी, संगणक को website पर अपलोड करने हेत्।

5. समस्त सूचना पट्टों पर।

Unloaded In Ilmerry while

Bill Of Quantity (DSR 2023)

Name of work:Construction of Tin shed of size(5mx3)at medicinal plant field Cof Ranichauri

Kalliciauri									
S.No.	DSR No.2023	Item of Work	Quantity	Unit	Rate	Amount			
1	2.6.1	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10sqm on plan) including getting out and disposal of excavated earth leadupto 50 m and lift upto 1.5 m, as directed by Engineer-incharge. All kinds of soil	3.60	cum					
2	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:3:6 (1 Cement : 3 coarse sand (zone-III) : 6 graded stoneaggregate 20 mm nominal size)	3.36	cum					
3	6.1.1	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:Cement mortar 1:4 (1 cement : 4 coarse sand)	1.68	cum					
4	6.4.1	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level inall shapes and sizes in :Cement mortar 1:4 (1 cement : 4 coarse sand)	6.78	cum					
5	13.1.1	CEMENT PLASTER (IN FINE SAND) 12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand)	63.66	sq.m					
6	16.11	Dry stone pitching 22.5 cm thick including supply of stones and preparing surface complete.	22.20	sq.m					
7	10.1	Structural steel work in single section, fixed with or without connectingplate, including cutting, hoisting, fixing in position and applying a primingcoat of approved steel primer all complete.	98.40	kg					

8	12.1.3	Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpetwashers filled with white lead, including a coat of approved steelprimer and two coats of approved paint on overlapping of sheetscomplete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cuttingto size and shape wherever required. 0.63 mm thick with zinc coating not less than 275 gm/ m²	20.16	sq.m		
9	9.20.3	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces ofshutters. 25 mm thick (for cupboard) including ISI marked nickel platedbright finished M.S. Piano hinges IS: 3818 marked with necessary screws	3.60	sq.m		
					Total	
					Say	